



المختبر الإستشاري الطبي
ISTISHARI MEDICAL LABORATORY

Nº 0079927

SARS-CoV-2 (COVID-19) Test Result

Date 02-05-2021

Time 21:25:47

Scan the code by your camera to match the result and
Press the link

Transaction	ID/Passport #	Patient Name	Age	Gender	Test Date	Result
109955	A9981408	الفت عبدالستار غالب	47 Year(s)	Female	02-05-2021	Negative

- A negative result doesn't exclude the possibility of COVID-19, especially in early disease
- Positive result is indicative of active infection with SARS-CoV-19
- A negative result doesn't preclude SARS-CoV-19 infection and should not be used as a sole basis for the treatment or other patient management decision, so negative result
- must be combined with patient history, and clinical suspicion
- Optimum specimen type and timing for peak viral load during infection has not been determined
- False negative result may occur if the specimen improperly collected, inadequate number of organism or amplification inhibitors are present in the specimen
- The above result for SARS-CoV-2 was done by Real Time PCR Technology
- The lab is not responsible for flights cancellation

- المختبر غير مسؤول عن تأجيل رحلات الطيران



المختبر الإستشاري الطبي
ISTISHARI MEDICAL LABORATORY

(Signature)

Lab. Manager

Natiq Hano AlSaraj

02-05-2021

Natiq Hano AlSaraj
Sc Microbiologist

للإستفسار عن الفحوصات المختبرية

07811000881 - 07711000881

info@istisharicare.com

بغداد / حي القادسية - الشارع المجاور
لمستشفى اليرموك - مدخل الطوارئ

Printed By: may

Last Update: RMN



الرقم الخاص بنتائج فحص covid
078 05 410 040

القطاع الخاص والسفارات
078 04 515 515

خدمة زبائن covid
078 04 616 616
078 04 212 212

* المختبر يعمل صباحاً و مساءً . الجمعة عطلة المختبر